

規格 ( mm )	收縮前內徑	收縮後			標準包裝			適用範圍(mm)
		最大內徑	平均總壁厚	平均膠層壁厚	米/盤	盤/箱	裝箱規格	
φ3.2	≥3.2	≤1.00	0.95±0.08	0.35±0.08	200	9	46 x 46 x 44.5	1.0 ~ 3.1
φ4.8	≥4.8	≤1.60	1.10±0.08	0.40±0.08	100	9	46 x 46 x 44.5	1.8 ~ 4.6
φ6.4	≥6.4	≤2.20	1.20±0.08	0.45±0.08	100	6	46 x 46 x 44.5	2.4 ~ 6.4
φ7.9	≥7.9	≤2.70	1.35±0.08	0.50±0.08	100	5	46 x 46 x 44.5	2.9 ~ 7.7
φ9.5	≥9.5	≤3.20	1.45±0.08	0.50±0.08	50	6	46 x 46 x 44.5	3.4 ~ 9.4
φ12.7	≥12.7	≤4.20	1.70±0.08	0.50±0.08	25	10	46 x 46 x 44.5	4.4 ~ 12.5
φ15.7	≥15.7	≤5.20	1.80±0.10	0.55±0.10	25	9	46 x 46 x 44.5	5.4 ~ 14.8
φ19.1	≥19.1	≤6.30	2.00±0.10	0.55±0.10	25	6	46 x 46 x 44.5	6.5 ~ 18.8
					米/袋	袋/箱	裝箱規格	
φ25.4	≥25.4	≤8.50	2.10±0.10	0.55±0.10	24.4	5	130 x 20 x 16	8.8 ~ 25
φ30.0	≥30.0	≤10.20	2.20±0.10	0.60±0.10	24.4	5	130 x 20 x 16	10.5 ~ 30
φ39.0	≥39.0	≤13.50	2.40±0.10	0.60±0.10	24.4	5	130 x 20 x 16	14.0 ~ 39
φ50.0	≥50.0	≤17.00	2.70±0.10	0.70±0.10	12.2	—	130 x 20 x 16	17.5 ~ 49
φ64.0	≥64.0	≤21.00	3.00±0.15	0.70±0.10	1.22	—	130 x 20 x 16	22 ~ 62
φ75.0	≥76.0	≤25.00	3.20±0.15	1.00±0.15	1.22	—	130 x 40 x 46	26 ~ 72
φ90.0	≥90.0	≤30.00	3.30±0.15	1.00±0.15	1.22	—	130 x 40 x 46	32 ~ 88
φ100.0	≥100.0	≤34.00	3.50±0.15	1.20±0.15	1.22	—	130 x 40 x 46	36 ~ 90
φ125.0	≥125.0	≤42.00	3.50±0.15	1.20±0.15	1.22	—	130 x 40 x 46	44 ~ 125